

DS-75

Folder Inserter

Productivity Made Easy



Join us on



  
**NEOPOST**  
Send.Receive.Connect.

# Productivity Made Easy

## The Advanced Combination of Productivity, Versatility and Convenience

With its compact footprint, large loading and unloading capabilities and many enhanced features, usually available only on larger systems, the DS-75 can process a wide variety of mail pieces for direct marketing efforts, invoicing, monthly statements and virtually any other application your company generates.

### The Complete Document Process



- 1 With Neopost's output management software, you have the ability to make your document intelligent by adding barcodes



- 2 OMR/BCR scanning technology on the DS-75 securely processes your intelligent mail automatically



- 3 Optimize postal costs and expand your business opportunities



## Environmental Commitment

The DS-75 carries Neopost's Eco-Label which aims to provide a clear and consistent set of environmental performance criteria used in the design phase of our products.



### How We Reduce Our Environmental Footprint:

- Neopost limits the machine weight and the amount of raw materials used for production.
- The volume of our packaging is kept to a minimum and is 100% cardboard and recyclable.
- Packaging for the DS-75 represents less than 20% of the total weight of the packed product.
- The user-friendly sleep mode helps reduce energy consumption.
- We develop our products to ensure a minimum recyclability rate of 75%.

## The DS-75 Offers Three Configurations



- 2 standard FlexFeed® trays
- 1 expert or special FlexFeed® tray
- high-capacity vertical stacker



- 1 high-capacity FlexFeed® tray
- 1 expert or special FlexFeed® tray
- high-capacity vertical stacker



- 1 high-capacity FlexFeed® tray
- 1 MaxiFeeder tray
- high-capacity vertical stacker

### 1. Automated Stacker

The high-capacity vertical stacker holds up to 500 finished envelopes

### 3. Document Feeders


The DS-75 high-capacity document feeder can hold up to 725 sheets and process multiple page sets at high processing speeds

### 2. Touch Screen Display

Designed for first time or experienced users, the touch screen control panel can create a new job or access existing jobs within seconds

### 4. MaxiFeed Tray


The MaxiFeed tray holds up to 325 BRE or short inserts, maximizing your productivity



#### Automatically Adapting to All Your Needs

Designed for casual users, the touch screen control panel provides a friendly, wizard-based user interface making it easy for anyone to select and run their folding and inserting jobs.

Simply load your documents and envelopes and press the start button. The DS-75 automatically measures the envelope and length of loaded documents and adjusts all settings for that job.



#### Smart Solutions to Maximize Flexibility

The exclusive FlexFeed® tray enables you to process any document size or type. In combination with the unique semi-automatic envelope separation mechanism, this provides full flexibility for feeding a wide variety of envelope types. You can use practically any size and type of material to address your prospective and current customers efficiently.

## Specifications

Processing speed	Up to 3,600 envelopes/hr.
Automatic settings	Standard
FlexFeed multi-format feeder	Standard
Multi-sheet feeding	Standard
Cascade from all feeders	Standard
Job memory	25
Manual feeder	Standard
Document feeder capacity	Up to 325 sheets (20 lb.)
Envelope feeder capacity	325
MaxiFeeder capacity	Up to 325 BRE's
Fold types	Letter, z-fold, single, double parallel, no fold $\triangle Z \angle \leftarrow \_$
Document height	3.5" - 14"
Document width	5.1" - 9.1"
Document weight	15 - 42 lbs.
Envelope length	3.5" - 6.35"
Envelope width	6.3" - 9.7"
Minimum set thickness	2.5 mm
Accumulate before folding	Standard
Tip-to-tip sealing	Standard

## Options

High-capacity document feeder	Up to 725 sheets (20 lb.)
Different exits	Side exit
Barcode Recognition (BCR)	Available
Optical Mark Recognition (OMR)	Available
Mail Piece Production Control (MPPC)	Available
Output Management Software (OMS)	Available
Mailing system interface	Available

## System Dimensions

	Length x Depth x Height
DS-75 (3 stations)	51" x 18" x 29"
Weight	165 lbs.



## We've Got You Covered

Neopost maintains a network of offices across the country to provide local customer support and trained technicians who are ready to assist you. You can be confident that when you need knowledgeable support or expert service, the point-of-contact will be a Neopost office in your area consisting of a team of local professionals.

## Why Choose Neopost?

Neopost is a global leader in mailing solutions, shipping services and digital communications. We believe that people are the key to business success. That's why our products and services are tailored to help your organization improve the quality of its interactions and bring people closer together.

In this age of multichannel communications, we guide and empower you to interact in new and innovative ways. We advise you on how to create cost-cutting synergies. We deliver global coverage with a strong local presence, offering you continual support by phone, onsite or online.

Today, Neopost is present in 31 countries and has a network of partners in more than 90 countries. We promote responsible business and sustainable development through our products and outreach programs. Our 6,200 employees worldwide are committed to making your interactions more responsive and more powerful - offering you a competitive edge that will open up a wealth of business opportunities.

Find out more at [neopostusa.com](http://neopostusa.com)

## *Bullfrog Enterprises*

1581 South A Street  
Springfield, OR 97477  
(541) 726-6800 or (800) 452-2601  
[admin@bullfrogenterprises.com](mailto:admin@bullfrogenterprises.com)



Neopost® and the Neopost logo are registered trademarks of Neopost S.A. All other company and product names may be trademarks and are the property of their respective owners. All information in this document, including descriptions of features, functions, performance and specifications is subject to change without written notice at any time.

1.800.NEOPOST (636.7678)

©2015 Neopost USA Inc. All Rights Reserved. N225 04/15